

	ULM	14.00	14.00	13.00	13.00	110	0.12	1					0.01	0.01		0.10	0.01	0.12
	PAM	12.65	12.00	10.75	10.50	110	0.06	2					0.01			0.12	0.02	0.13
	FR	34.00	30.00	22.31	21.60	110	1.07	2		0.72	0.07	0.03	0.02	0.01	0.17	1.12	0.09	2.14
Total U.A.:	45 A							46	1.19	2.06	0.40	0.33	0.28	0.17	0.41	7.59	0.87	12.43
46 D	FA	24.33	24.00	17.58	17.50	110	0.40	2		0.04	0.02	0.04	0.02		0.01	0.67	0.06	0.80
	CA	19.62	19.80	12.06	12.10	110	0.23	8	0.05	0.10	0.02	0.02	0.01	0.04	0.02	1.56	0.13	1.82
	ULM	20.00	20.00	13.00	13.00	110	0.23	1			0.02	0.01		0.01	0.19	0.01	0.23	
	SAC	14.00	14.00	8.00	8.00	110	0.06	1							0.06	0.01	0.06	
Total U.A.:	46 D							12	0.05	0.14	0.04	0.08	0.04	0.04	0.04	2.48	0.21	2.91
49 C	FA	22.11	22.00	16.03	16.00	110	0.32	29	0.86	1.07	0.44	0.28	0.15	0.14	0.18	6.09	0.70	9.21
	JU	13.60	14.00	11.05	11.17	110	0.10	5					0.02	0.03	0.01	0.42	0.07	0.48
	CA	16.22	16.33	11.65	11.68	110	0.15	71	0.14	0.52	0.27	0.25	0.25	0.32	0.17	8.43	0.86	10.35
	TE	21.28	22.50	13.29	13.63	110	0.27	6		0.13	0.01	0.04	0.04	0.03	0.06	1.31	0.10	1.62
	PAM	15.56	14.67	9.91	9.67	110	0.09	3			0.07	0.01	0.01	0.01	0.18	0.03	0.28	
Total U.A.:	49 C							114	1.00	1.72	0.72	0.64	0.47	0.53	0.43	16.43	1.76	21.94
51 A	FA	26.51	26.29	19.55	19.50	110	0.54	19	0.53	3.06	0.83	0.70	0.30	0.09	0.33	4.44	0.77	10.28
	JU	20.07	20.00	15.66	15.60	110	0.27	5		0.05	0.06	0.03	0.03	0.02	0.03	1.15	0.11	1.37
	CA	15.30	15.33	12.82	12.83	110	0.14	43		0.46	0.14	0.18	0.17	0.22	0.11	4.60	0.52	5.88
	TE	30.00	30.00	16.00	16.00	110	0.62	1		0.10	0.06	0.05	0.02	0.01	0.06	0.32	0.04	0.62
	PAM	20.49	20.00	14.12	14.00	110	0.22	8		0.52	0.20	0.12	0.02	0.03	0.09	0.81	0.12	1.79
	FR	21.21	22.00	16.54	16.75	110	0.29	3		0.04	0.02	0.01	0.04	0.03	0.03	0.71	0.06	0.88
Total U.A.:	51 A							79	0.53	4.23	1.31	1.09	0.58	0.40	0.65	12.03	1.62	20.82
55 A	ANN	37.70	38.00	23.46	23.50	110	1.24	4	0.14	1.18	0.18	0.20	0.05	0.01	0.29	2.92	0.16	4.97
	FA	18.03	18.00	14.61	14.60	110	0.19	16		0.20	0.06	0.04	0.13	0.10	0.04	2.51	0.28	3.08
	JU	16.12	16.00	15.63	15.55	110	0.18	2			0.02	0.02	0.01	0.01	0.30	0.05	0.36	
	CA	15.75	16.00	11.19	11.25	110	0.14	27	0.09	0.29	0.06	0.07	0.06	0.12	0.07	2.90	0.28	3.66
	TE	23.19	23.00	14.03	14.00	110	0.32	2			0.08	0.06	0.03	0.01	0.05	0.42	0.06	0.65
	PAM	17.66	17.33	12.59	12.50	110	0.15	3			0.09	0.04	0.01	0.02	0.29	0.04	0.45	
Total U.A.:	55 A							56	0.23	1.69	0.40	0.49	0.34	0.27	0.49	9.76	0.90	13.67
Total General U.A.								477	6.25	21.09	4.61	3.71	2.39	1.91	3.76	77.79	8.34	121.51

Şef Ocol,



Întocmit,

tch. Star Paul

Birou Fond Forestier,

ing. Băndăru Iulius

Verificat, bina

ing. Băndăru Iulius