

DS Neamt, Ocolul Silvic Roznov															
Ocolul Silvic Roznov Nr.Lot=NT-26-RZ-202, Sort=GATER B, Sp=MOLID, Diam = 25..45 cm, D.mediu = 33,7 cm, V.brut = 400,04 mc, V.net = 400,04 mc, data lot = 07.09.2026, lemn=CERTIFICAT, Nat.Prod.=Accidentale I, NrApr:237 (Coloana Plăcuță reprezintă numărul curent scris pe piesă)															
Nr Crt	Spec.	Placuta	Diam	Lun-gime	Volum brut	Volum net	Sor-timent	Nr Crt	Spec.	Placuta	Diam	Lun-gime	Volum brut	Volum net	Sor-timent
609	MO	1	30	16	1,13	1,13	B	759	MO	151	32	13	1,04	1,04	B
610	MO	2	30	16	1,13	1,13	B	760	MO	152	36	19	1,93	1,93	B
611	MO	3	30	16	1,13	1,13	B	761	MO	153	36	19	1,93	1,93	B
612	MO	4	28	16	0,98	0,98	B	762	MO	154	36	19	1,93	1,93	B
613	MO	5	28	16	0,98	0,98	B	763	MO	155	36	19	1,93	1,93	B
614	MO	6	28	16	0,98	0,98	B	764	MO	156	36	19	1,93	1,93	B
615	MO	7	28	16	0,98	0,98	B	765	MO	157	36	19	1,93	1,93	B
616	MO	8	28	16	0,98	0,98	B	766	MO	158	36	19	1,93	1,93	B
617	MO	9	28	16	0,98	0,98	B	767	MO	159	33	12	1,03	1,03	B
618	MO	10	37	16	1,72	1,72	B	768	MO	160	33	12	1,03	1,03	B
619	MO	11	37	16	1,72	1,72	B	769	MO	161	33	12	1,03	1,03	B
620	MO	12	37	16	1,72	1,72	B	770	MO	162	33	12	1,03	1,03	B
621	MO	13	37	16	1,72	1,72	B	771	MO	163	33	12	1,03	1,03	B
622	MO	14	37	16	1,72	1,72	B	772	MO	164	30	12	0,85	0,85	B
623	MO	15	33	16	1,37	1,37	B	773	MO	165	30	12	0,85	0,85	B
624	MO	16	33	16	1,37	1,37	B	774	MO	166	30	12	0,85	0,85	B
625	MO	17	33	16	1,37	1,37	B	775	MO	167	30	12	0,85	0,85	B
626	MO	18	33	16	1,37	1,37	B	776	MO	168	30	12	0,85	0,85	B
627	MO	19	33	16	1,37	1,37	B	777	MO	169	30	12	0,85	0,85	B
628	MO	20	33	16	1,37	1,37	B	778	MO	170	30	12	0,85	0,85	B
629	MO	21	33	16	1,37	1,37	B	779	MO	171	29	12	0,79	0,79	B
630	MO	22	33	16	1,37	1,37	B	780	MO	172	29	12	0,79	0,79	B
631	MO	23	32	12	0,96	0,96	B	781	MO	173	29	12	0,79	0,79	B
632	MO	24	32	12	0,96	0,96	B	782	MO	174	29	12	0,79	0,79	B
633	MO	25	32	12	0,96	0,96	B	783	MO	175	29	12	0,79	0,79	B
634	MO	26	40	12	1,51	1,51	B	784	MO	176	35	12	1,15	1,15	B
635	MO	27	31	12	0,91	0,91	B	785	MO	177	35	12	1,15	1,15	B
636	MO	28	25	8	0,39	0,39	B	786	MO	178	35	12	1,15	1,15	B
637	MO	29	32	15	1,21	1,21	B	787	MO	179	35	12	1,15	1,15	B
638	MO	30	32	12	0,96	0,96	B	788	MO	180	35	12	1,15	1,15	B
639	MO	31	32	15	1,21	1,21	B	789	MO	181	35	12	1,15	1,15	B
640	MO	32	32	15	1,21	1,21	B	790	MO	182	37	12	1,29	1,29	B
641	MO	33	32	15	1,21	1,21	B	791	MO	183	37	12	1,29	1,29	B
642	MO	34	32	15	1,21	1,21	B	792	MO	184	37	12	1,29	1,29	B
643	MO	35	32	15	1,21	1,21	B	793	MO	185	37	12	1,29	1,29	B
644	MO	36	32	15	1,21	1,21	B	794	MO	186	41	14	1,85	1,85	B
645	MO	37	32	15	1,21	1,21	B	795	MO	187	41	14	1,85	1,85	B
646	MO	38	27	20	1,14	1,14	B	796	MO	188	41	14	1,85	1,85	B
647	MO	39	27	20	1,14	1,14	B	797	MO	189	41	14	1,85	1,85	B
648	MO	40	27	20	1,14	1,14	B	798	MO	190	32	14	1,13	1,13	B
649	MO	41	27	20	1,14	1,14	B	799	MO	191	32	14	1,13	1,13	B
650	MO	42	27	20	1,14	1,14	B	800	MO	192	32	14	1,13	1,13	B
651	MO	43	27	20	1,14	1,14	B	801	MO	193	32	14	1,13	1,13	B
652	MO	44	27	20	1,14	1,14	B	802	MO	194	32	14	1,13	1,13	B
653	MO	45	27	20	1,14	1,14	B	803	MO	195	32	14	1,13	1,13	B
654	MO	46	27	20	1,14	1,14	B	804	MO	196	32	14	1,13	1,13	B
655	MO	47	35	16	1,54	1,54	B	805	MO	197	34	14	1,27	1,27	B
656	MO	48	35	16	1,54	1,54	B	806	MO	198	34	14	1,27	1,27	B
657	MO	49	35	16	1,54	1,54	B	807	MO	199	34	14	1,27	1,27	B
658	MO	50	35	16	1,54	1,54	B	808	MO	200	34	14	1,27	1,27	B
659	MO	51	35	16	1,54	1,54	B	809	MO	201	29	16	1,06	1,06	B
660	MO	52	35	16	1,54	1,54	B	810	MO	202	29	16	1,06	1,06	B
661	MO	53	35	16	1,54	1,54	B	811	MO	203	29	16	1,06	1,06	B
662	MO	54	35	16	1,54	1,54	B	812	MO	204	29	16	1,06	1,06	B
663	MO	55	35	16	1,54	1,54	B	813	MO	205	29	16	1,06	1,06	B

DS Neamt, Ocolul Silvic Roznov															
Ocolul Silvic Roznov Nr.Lot=NT-26-RZ-202, Sort=GATER B, Sp=MOLID, Diam = 25..45 cm, D.mediu = 33,7 cm, V.brut = 400,04 mc, V.net = 400,04 mc, data lot = 07.09.2026, lemn=CERTIFICAT, Nat.Prod.=Accidentale I, NrApr:237 (Coloana Plăcuță reprezintă numărul curent scris pe piesă)															
Nr Crt	Spec.	Placuta	Diam	Lun-gime	Volum brut	Volum net	Sort-iment	Nr Crt	Spec.	Placuta	Diam	Lun-gime	Volum brut	Volum net	Sort-iment
664	MO	56	35	16	1,54	1,54	B	814	MO	206	29	16	1,06	1,06	B
665	MO	57	28	15	0,92	0,92	B	815	MO	207	29	16	1,06	1,06	B
666	MO	58	28	15	0,92	0,92	B	816	MO	208	29	16	1,06	1,06	B
667	MO	59	28	15	0,92	0,92	B	817	MO	209	29	16	1,06	1,06	B
668	MO	60	28	15	0,92	0,92	B	818	MO	210	29	16	1,06	1,06	B
669	MO	61	28	15	0,92	0,92	B	819	MO	211	33	16	1,37	1,37	B
670	MO	62	28	15	0,92	0,92	B	820	MO	212	33	16	1,37	1,37	B
671	MO	63	28	15	0,92	0,92	B	821	MO	213	33	16	1,37	1,37	B
672	MO	64	28	15	0,92	0,92	B	822	MO	214	33	16	1,37	1,37	B
673	MO	65	40	18	2,26	2,26	B	823	MO	215	33	16	1,37	1,37	B
674	MO	66	40	18	2,26	2,26	B	824	MO	216	33	16	1,37	1,37	B
675	MO	67	40	18	2,26	2,26	B	825	MO	217	33	16	1,37	1,37	B
676	MO	68	40	18	2,26	2,26	B	826	MO	218	31	16	1,21	1,21	B
677	MO	69	40	18	2,26	2,26	B	827	MO	219	31	16	1,21	1,21	B
678	MO	70	40	18	2,26	2,26	B	828	MO	220	31	16	1,21	1,21	B
679	MO	71	32	14	1,13	1,13	B	829	MO	221	31	16	1,21	1,21	B
680	MO	72	32	14	1,13	1,13	B	830	MO	222	31	16	1,21	1,21	B
681	MO	73	32	14	1,13	1,13	B	831	MO	223	31	16	1,21	1,21	B
682	MO	74	32	14	1,13	1,13	B	832	MO	224	31	16	1,21	1,21	B
683	MO	75	32	14	1,13	1,13	B	833	MO	225	27	15	0,86	0,86	B
684	MO	76	32	14	1,13	1,13	B	834	MO	226	27	15	0,86	0,86	B
685	MO	77	32	14	1,13	1,13	B	835	MO	227	27	15	0,86	0,86	B
686	MO	78	32	14	1,13	1,13	B	836	MO	228	27	15	0,86	0,86	B
687	MO	79	32	14	1,13	1,13	B	837	MO	229	27	15	0,86	0,86	B
688	MO	80	35	12	1,15	1,15	B	838	MO	230	27	15	0,86	0,86	B
689	MO	81	35	12	1,15	1,15	B	839	MO	231	30	15	1,06	1,06	B
690	MO	82	35	12	1,15	1,15	B	840	MO	232	30	15	1,06	1,06	B
691	MO	83	35	12	1,15	1,15	B	841	MO	233	30	15	1,06	1,06	B
692	MO	84	35	12	1,15	1,15	B	842	MO	234	30	15	1,06	1,06	B
693	MO	85	35	12	1,15	1,15	B	843	MO	235	30	15	1,06	1,06	B
694	MO	86	35	12	1,15	1,15	B	844	MO	236	35	15	1,44	1,44	B
695	MO	87	40	12	1,51	1,51	B	845	MO	237	35	15	1,44	1,44	B
696	MO	88	40	12	1,51	1,51	B	846	MO	238	35	15	1,44	1,44	B
697	MO	89	40	12	1,51	1,51	B	847	MO	239	35	15	1,44	1,44	B
698	MO	90	40	12	1,51	1,51	B	848	MO	240	35	15	1,44	1,44	B
699	MO	91	38	12	1,36	1,36	B	849	MO	241	39	15	1,79	1,79	B
700	MO	92	38	12	1,36	1,36	B	850	MO	242	39	15	1,79	1,79	B
701	MO	93	38	12	1,36	1,36	B	851	MO	243	39	15	1,79	1,79	B
702	MO	94	38	12	1,36	1,36	B	852	MO	244	39	15	1,79	1,79	B
703	MO	95	38	12	1,36	1,36	B	853	MO	245	39	15	1,79	1,79	B
704	MO	96	38	12	1,36	1,36	B	854	MO	246	39	15	1,79	1,79	B
705	MO	97	38	12	1,36	1,36	B	855	MO	247	39	15	1,79	1,79	B
706	MO	98	30	14	0,99	0,99	B	856	MO	248	29	13	0,86	0,86	B
707	MO	99	30	14	0,99	0,99	B	857	MO	249	29	13	0,86	0,86	B
708	MO	100	30	14	0,99	0,99	B	858	MO	250	29	13	0,86	0,86	B
709	MO	101	30	14	0,99	0,99	B	859	MO	251	29	13	0,86	0,86	B
710	MO	102	30	14	0,99	0,99	B	860	MO	252	40	13	1,63	1,63	B
711	MO	103	37	14	1,5	1,5	B	861	MO	253	40	13	1,63	1,63	B
712	MO	104	37	14	1,5	1,5	B	862	MO	254	40	13	1,63	1,63	B
713	MO	105	37	14	1,5	1,5	B	863	MO	255	40	13	1,63	1,63	B
714	MO	106	37	14	1,5	1,5	B	864	MO	256	45	13	2,07	2,07	B
715	MO	107	37	14	1,5	1,5	B	865	MO	257	45	13	2,07	2,07	B
716	MO	108	37	14	1,5	1,5	B	866	MO	258	45	13	2,07	2,07	B
717	MO	109	37	18	1,93	1,93	B	867	MO	259	36	13	1,32	1,32	B
718	MO	110	37	18	1,93	1,93	B	868	MO	260	36	13	1,32	1,32	B

DS Neamt, Ocolul Silvic Roznov															
Ocolul Silvic Roznov Nr.Lot=NT-26-RZ-202, Sort=GATER B, Sp=MOLID, Diam = 25..45 cm, D.mediu = 33,7 cm, V.brut = 400,04 mc, V.net = 400,04 mc, data lot =07.09.2026, lemn=CERTIFICAT, Nat.Prod.=Accidentale I, NrApv:237 (Coloana Plăcuță reprezintă numărul curent scris pe piesă)															
Nr Crt	Spec.	Placuta	Diam	Lun-gime	Volum brut	Volum net	Sor-timent	Nr Crt	Spec.	Placuta	Diam	Lun-gime	Volum brut	Volum net	Sor-timent
719	MO	111	37	18	1,93	1,93	B	869	MO	261	36	13	1,32	1,32	B
720	MO	112	37	18	1,93	1,93	B	870	MO	262	36	13	1,32	1,32	B
721	MO	113	37	18	1,93	1,93	B	871	MO	263	36	13	1,32	1,32	B
722	MO	114	37	18	1,93	1,93	B	872	MO	264	34	18	1,63	1,63	B
723	MO	115	37	18	1,93	1,93	B	873	MO	265	34	18	1,63	1,63	B
724	MO	116	37	18	1,93	1,93	B	874	MO	266	34	18	1,63	1,63	B
725	MO	117	37	18	1,93	1,93	B	875	MO	267	34	18	1,63	1,63	B
726	MO	118	37	18	1,93	1,93	B	876	MO	268	34	18	1,63	1,63	B
727	MO	119	37	18	1,93	1,93	B	877	MO	269	34	18	1,63	1,63	B
728	MO	120	37	18	1,93	1,93	B	878	MO	270	34	18	1,63	1,63	B
729	MO	121	37	18	1,93	1,93	B	879	MO	271	39	18	2,15	2,15	B
730	MO	122	38	18	2,04	2,04	B	880	MO	272	39	18	2,15	2,15	B
731	MO	123	38	18	2,04	2,04	B	881	MO	273	39	18	2,15	2,15	B
732	MO	124	38	18	2,04	2,04	B	882	MO	274	39	18	2,15	2,15	B
733	MO	125	38	18	2,04	2,04	B	883	MO	275	39	18	2,15	2,15	B
734	MO	126	38	18	2,04	2,04	B	884	MO	276	39	11	1,31	1,31	B
735	MO	127	38	18	2,04	2,04	B	885	MO	277	39	11	1,31	1,31	B
736	MO	128	38	18	2,04	2,04	B	886	MO	278	39	11	1,31	1,31	B
737	MO	129	31	16	1,21	1,21	B	887	MO	279	39	11	1,31	1,31	B
738	MO	130	31	16	1,21	1,21	B	888	MO	280	39	11	1,31	1,31	B
739	MO	131	31	16	1,21	1,21	B	889	MO	281	39	11	1,31	1,31	B
740	MO	132	31	16	1,21	1,21	B	890	MO	282	39	11	1,31	1,31	B
741	MO	133	31	16	1,21	1,21	B	891	MO	283	39	11	1,31	1,31	B
742	MO	134	29	16	1,06	1,06	B	892	MO	284	39	11	1,31	1,31	B
743	MO	135	29	16	1,06	1,06	B	893	MO	285	32	14	1,13	1,13	B
744	MO	136	29	16	1,06	1,06	B	894	MO	286	32	14	1,13	1,13	B
745	MO	137	29	16	1,06	1,06	B	895	MO	287	32	14	1,13	1,13	B
746	MO	138	29	16	1,06	1,06	B	896	MO	288	32	14	1,13	1,13	B
747	MO	139	34	11	1	1	B	897	MO	289	32	14	1,13	1,13	B
748	MO	140	34	11	1	1	B	898	MO	290	26	14	0,74	0,74	B
749	MO	141	34	11	1	1	B	899	MO	291	26	14	0,74	0,74	B
750	MO	142	34	11	1	1	B	900	MO	292	26	14	0,74	0,74	B
751	MO	143	34	11	1	1	B	901	MO	293	26	14	0,74	0,74	B
752	MO	144	34	11	1	1	B	902	MO	294	43	14	2,03	2,03	B
753	MO	145	34	11	1	1	B	903	MO	295	43	14	2,03	2,03	B
754	MO	146	32	13	1,04	1,04	B	904	MO	296	43	14	2,03	2,03	B
755	MO	147	32	13	1,04	1,04	B	905	MO	297	43	14	2,03	2,03	B
756	MO	148	32	13	1,04	1,04	B	906	MO	298	43	16	2,32	2,32	B
757	MO	149	32	13	1,04	1,04	B	907	MO	299	28	8	0,49	0,49	B
758	MO	150	32	13	1,04	1,04	B	908	MO	300	30	7	0,49	0,49	B